

Solid Wood Sliding Barn Door

SKU: 106047870317 | Category: Products & Modules, Barn doors




SUNNYSKY



Product Overview

We supply custom wooden barn doors designed for residential, commercial, and industrial interior applications. The door combines a solid wood and MDF construction with a metal sliding track system, finished in a modern style with a push-and-pull opening method.



The product targets procurement managers, distributors, and wholesale buyers seeking a customizable door solution that balances sound insulation with contemporary aesthetics. The door is available in customized colors and supports graphic design project solutions, making it adaptable to various architectural requirements. With a warranty exceeding five years and comprehensive after-sale services including return and replacement, onsite inspection, and online technical support, this barn door is positioned as a long-term investment for space division and privacy.



What Makes This Product Different

Sound Insulation Performance

The door features sound insulation as a core function, which is critical for dividing living spaces, home offices, or commercial areas where noise reduction is required.

Customizable Color and Design

Colors are fully customizable, and graphic design project solutions are available, allowing buyers to match specific interior schemes or brand identities.

Modern Push and Pull Mechanism


The push and pull opening method provides a smooth sliding operation typical of modern barn door hardware, eliminating the need for traditional swing space.

Extended Warranty Coverage

A warranty of more than five years reflects the durability expectations for the solid wood and MDF construction, reducing long-term replacement concerns for B2B buyers.

Comprehensive After-Sale Support


Services include return and replacement, onsite inspection, online technical support, onsite training, and free spare parts, which lowers the risk for distributors and project managers.



Material
Door Type
Opening Method
Feature
Surface Finishing
Design Style
Color
Place of Origin
Warranty
After-sale Service

Customized Colors
Glass
Push and Pull
Sound Insulation
Finished
Modern
Customized Colors
Guangdong, China
More than 5 years
Return and Replacement, Onsite Inspection,
Online Technical Support, Onsite Training, Free
Spare Parts
Graphic Design
Residential House, Industrial, Commercial

Project Solution Capability
Application



Aluminum Frame
Panels



Floor Guide



Solid Construction



Key Performance Details

Parameter	Performance Implication	Best For
Sound Insulation	Reduces noise transfer between spaces, improving privacy and comfort in residential or commercial settings.	Bedrooms, home offices, conference rooms, and studios.
Push and Pull Opening	Sliding mechanism saves floor space compared to hinged doors and allows smooth operation in tight areas.	Hallways, closets, and rooms with limited clearance.
Customized Colors	Enables matching with existing interior palettes or brand colors without additional finishing work.	Retail spaces, hotels, and custom residential projects.
Warranty >5 Years	Indicates confidence in material durability and hardware longevity, reducing lifecycle costs.	High-traffic commercial environments and long-term rentals.



Applications

Industry	Use Case	Why This Product Fits
Residential House	Interior room dividers, closet doors, and bathroom entries.	Sound insulation and modern design suit living spaces; customizable colors match home decor.
Commercial	Office partitions, retail fitting rooms, and hotel room dividers.	Push and pull operation saves space; graphic design capability allows branding integration.
Industrial	Factory floor separations or warehouse office enclosures.	Durable solid wood and MDF construction withstands frequent use; warranty supports heavy-duty cycles.




How This Product Compares

Dimension	This Product	Alternative
Material	Solid wood and MDF construction	Hollow core or particle board doors
Sound Insulation	Built-in sound insulation feature	Standard doors without acoustic

Customization	Custom colors and graphic design support	rating Limited to standard finishes
Warranty	More than 5 years	1-2 years typical

Product Detail

SUNNYSKY × XIYATECH



01/ HIGH COLOR RETENTION 6063-T5 ALUMINUM PROFILE


High corrosion resistance without stress corrosion cracking tendency ensure that the profile color can maintain at least **15** years and not deformation

YOUZHISHIJIANGFONGMANJIAO, LITITOUQ, ZHIG
ANGENGJIAQNFU, DUYOUBIAOZHIGAOQIANGAO.

02/ HIGH QUALITY GERMAN BRAND ROTO HARDWARE

German ROTO hardware through international inspection testing, open and close more than **100,000** times, **10** years of quality assurance of your Windows and doors durable

YOUZHISHIJIANGFONGMANJIAO, LITITOUQ, ZHIG
ANGENGJIAQNFU, DUYOUBIAOZHIGAOQIANGAO.



Customization Options

Customizable Aspects

Material combinations can be adjusted between solid wood and MDF; dimensions and glass panel options are configurable to fit specific openings.

Color Matching

Colors are fully customized to match Pantone references or existing interior finishes, ensuring visual consistency across multiple units.

Logo & Branding

Graphic design project solutions allow for logo application or branded hardware elements, suitable for hospitality or retail chains.

Hardware Options

The push and pull mechanism can be paired with various metal track styles and handle designs to align with modern or industrial aesthetics.



03/ INTERNATIONAL STANDARD OF WATER TIGHTNESS, WIND LOAD RESISTANCE PERFOR-


Perfect profile splicing, car seal strips ensure your windows and doors are protected from **CLASS 4** wind and rain

YOUZHISHIJIJINORONGMANJIAO, JI TITOUQI, ZHIG
ANGENGJIAQINFU, DUYOUJIAOZHIGAOJIANAGI.

04/ ENSURE HIGH QUALITY AND STABILITY OF PROD- UCTS

The whole set of German Homag production line has more than 90 process errors less than **0.5mm**

YOUZHISHIJIJINORONGMANJIAO, JI TITOUQI, ZHIG
ANGENGJIAQINFU, DUYOUJIAOZHIGAOJIANAGI.



Packaging & Shipping

Standard export packaging is used to protect the door during transit, with options for reinforced corners and moisture barriers. For bulk orders, doors are palletized and shrink-wrapped to minimize movement. Shipping can be arranged via sea or air freight depending on destination and volume. Our factory supports customized packaging solutions including retail-ready boxes or display packaging for distributors who require shelf presentation. Eco-friendly packaging materials are available upon request.

Why Work With Us

Manufacturing Expertise

Our factory specializes in wood and metal door production, with direct control over material sourcing and assembly for consistent quality.

OEM & ODM Support

We offer full customization from dimensions to colors and branding, supported by in-house graphic design capabilities.

Quality Assurance

Each door undergoes finishing and inspection processes, backed by a warranty exceeding five years and free spare parts availability.

After-Sale Service Network

Comprehensive support includes onsite inspection, online technical support, and onsite training for distributors and project managers.

Specifications

SKU	106047870317
Category	Products & Modules, Barn doors

Get a Quote

For factory-direct pricing, samples and lead times, contact our project team.

Company	JuSen Doors & Windows Manufacturing Co., Ltd.
Factory	Foshan & Maoming, Guangdong, China
Phone / WhatsApp	+86 131 2600 8852
Email	leon@doorwoodendoors.com
Website	https://doorwoodendoors.com/
Request a Quote	https://doorwoodendoors.com/contact/