Wooden Interior Door Supplier China

SKU: 1601294065839 | Category: Wood Doors



Product Overview

Engineered for high-traffic apartment and residential entry points, these solid wood interior doors feature a 16-gauge galvanized steel skin bonded to a 45mm thick engineered wood core. Certified to EN 14351-1 for air permeability and acoustic performance, each door is factory-fitted with a 20-gauge steel frame and industrial-grade hinges for repeated daily use.

Key Specifications

Material	16-gauge galvanized steel skin over engineered wood core
Door Thickness	45 mm (1.77 in)
Fire Rating	EN 14351-1 (non-fire-rated version available)
Core	Solid engineered wood (laminated veneer lumber)
Finish	Factory-primed steel surface, ready for field painting or powder coating
Max Size	1,200 mm x 2,400 mm (47.2 in x 94.5 in)
Warranty	5 years

Available Options

- Standard sizes: 900x2100, 1000x2100, 1200x2400 mm
- Custom sizes up to 1200x2400 mm
- Finish: factory-primed (standard), powder-coated RAL colors, or wood veneer overlay
- Hardware: mortise lock prepped, 4.5 in (114 mm) x 2.25 in (57 mm) hinges, optional magnetic latch
- Glass options: no glass (solid panel), or optional 6 mm tempered glass insert

Applications

- Apartment main entry doors in multi-unit residential buildings
- Bedroom and washroom doors in mid-rise apartments
- Industrial-grade interior doors for dormitory or staff housing
- Simple interior doors for hotel back-of-house corridors

Customization Capabilities

Size, finish, and hardware configurations can be tailored to project specifications, including custom RAL paint colors, lock preparations for specific cylinder types, and non-standard hinge spacing for

existing frames.

Packaging & Shipping

Each door is individually wrapped in corrugated cardboard with foam edge protectors, then palletized and shrink-wrapped for ocean freight. Shipments are consolidated for full-container loads (FCL) to minimize per-unit cost.

Why Choose Us

- Factory-direct pricing with consistent 45mm thickness and 16-gauge steel across all production runs
- 5-year structural warranty against warping or delamination in standard residential environments
- Expedited lead times of 20-25 working days from order confirmation for standard sizes

Regional Procurement Insights

What buyers in different markets usually ask for — based on real enquiries, not generic lists.

?? USA & Canada

Most enquiries from North America are for multifamily developments and hotel renovations, where 45–90 minute fire ratings are commonly requested.

Renovation projects often prioritise shorter lead times, while new developments focus more on matching hardware packages.

?? Europe & UK

European buyers tend to request concealed closers, panic hardware and veneer finishes that match interior specifications.

CE marking and EN 1634-1 fire test reports are usually reviewed before sample confirmation.

?? Australia & NZ

Australian projects often specify AS 1905 fire door standards, with questions about local hardware compatibility.

Aged care and hospitality developments tend to request pre-approved hardware packages to simplify compliance.

? Southeast Asia

For smaller projects in Southeast Asia, lead times are generally shorter due to more frequent shipping schedules from South China.

Certification requirements vary significantly between countries, so specifications are usually reviewed case by case.

?? Middle East & GCC

One of the most common questions from GCC clients is whether custom veneer colours can be matched with approved fire-rated constructions.

Luxury hospitality projects often discuss gold / bronze anodized finishes alongside compliance requirements.

Frequently Asked Questions

1. Can I order sample doors before placing a bulk order?+

Yes, sample doors are available for project evaluation — sample lead time is typically 7-15 days, and sample fees can be credited back against your bulk order.

2. What fire-rating options are available for commercial doors?+

We offer UL 10C, EN 1634-1 and BS 476 fire-rated options ranging from 20 to 90 minutes. Steel-core fire doors and wood-core fire doors are both available depending on your market requirement.

3. Can doors be custom-sized to fit our existing openings?+

Absolutely. Width, height, thickness, finish, hinge type, lock type, door closer, panic hardware, and vision panels can all be customized to match your project specification. Send us your door schedule and we will quote accordingly.

4. What is the typical production lead time for commercial doors?+

Standard production runs 25-40 days after deposit and drawing confirmation. Urgent project timelines can often be accommodated — please share your project deadline when requesting a quote.

5. Which ports do you ship from and what are the Incoterms?+

We primarily ship from Foshan port (China). FOB, CIF, and DAP terms are all available depending on your project destination and requirements.

6. Can you provide OEM / private label service?+

Yes. We provide OEM manufacturing for distributors, contractors, and project developers worldwide. Your branding, packaging, and labels can be applied to protect your market position.

{"@context": "https://schema.org", "@type": "FAQPage", "mainEntity": [{"@type": "Question", "name": "Can I order sample doors before placing a bulk order?", "acceptedAnswer": {"@type": "Answer", "text": "Yes, sample doors are available for project evaluation — sample lead time is typically 7-15 days, and sample fees can be credited back against your bulk order."}}, {"@type":

"Question", "name": "What fire-rating options are available for commercial doors?", "acceptedAnswer": {"@type": "Answer", "text": "We offer UL 10C, EN 1634-1 and BS 476 fire-rated options ranging from 20 to 90 minutes. Steel-core fire doors and wood-core fire doors are both available depending on your market requirement."}}, {"@type": "Question", "name": "Can doors be custom-sized to fit our existing openings?", "acceptedAnswer": {"@type": "Answer", "text": "Absolutely. Width, height, thickness, finish, hinge type, lock type, door closer, panic hardware, and vision panels can all be customized to match your project specification. Send us your door schedule and we will quote accordingly."}}, {"@type": "Question", "name": "What is the typical production lead time for commercial doors?", "acceptedAnswer": {"@type": "Answer", "text": "Standard production runs 25-40 days after deposit and drawing confirmation. Urgent project timelines can often be accommodated — please share your project deadline when requesting a quote."}}, {"@type": "Question", "name": "Which ports do you ship from and what are the Incoterms?", "acceptedAnswer": {"@type": "Answer", "text": "We primarily ship from Foshan port (China). FOB, CIF, and DAP terms are all available depending on your project destination and requirements."}}, {"@type": "Question", "name": "Can you provide OEM / private label service?", "acceptedAnswer": {"@type": "Answer", "text": "Yes. We provide OEM manufacturing for distributors, contractors, and project developers worldwide. Your branding, packaging, and labels can be applied to protect your market position."}}]}

Specifications

SKU	1601294065839
Category	Wood Doors
Door Material	wood
Design Style	modern
Surface Finish	finished
Application	bedroom
Model Number	WD
Warranty	More Than 5 Years

Get a Quote

For factory-direct pricing, samples and lead times, contact our project team.

Company	JuSen Doors & Windows Manufacturing Co., Ltd.
Factory	Foshan & Maoming, Guangdong, China
Phone / WhatsApp	+86 131 2600 8852
Email	doorwoodendoors@qq.com
Website	https://doorwoodendoors.com/
Request a Quote	https://doorwoodendoors.com/contact/